

Explicit expressions of the Λ baryon polarizations in $\Lambda_b \rightarrow \Lambda \ell^+ \ell^-$ decay for the massive lepton case

T. M. Aliev^{a *}, A. Özpineci^{b †}, M. Savcı^{a ‡}

^a Physics Department, Middle East Technical University, 06531 Ankara, Turkey

^b The Abdus Salam International Center for Theoretical Physics, I-34100, Trieste, Italy

Abstract

We present the explicit form of the expressions of the Λ baryon polarizations in $\Lambda_b \rightarrow \Lambda \ell^+ \ell^-$ decay for the massive lepton case as a complementary to our previous work prep: hep-ph/0211447.

PACS numbers: 12.60.-i, 13.30.-a

*e-mail: taliev@metu.edu.tr

†e-mail: ozpineci@ictp.trieste.it

‡e-mail: savci@metu.edu.tr

Λ baryon polarizations

The explicit form of the expressions for the longitudinal P_L and normal P_N Λ baryon polarizations in $\Lambda_b \rightarrow \Lambda \ell^+ \ell^-$ decay for the massive lepton case are given as:

$$\begin{aligned}
P_L = & \frac{16m_{\Lambda_b}^2 \sqrt{\lambda}}{\mathcal{T}_0(s) + \frac{1}{3}\mathcal{T}_2(s)} \left\{ 8m_\ell^2 m_{\Lambda_b} \left(\text{Re}[D_1^* E_3 - D_3^* E_1] + \sqrt{r} \text{Re}[D_1^* D_3 - E_1^* E_3] \right) \right. \\
& - 2m_\ell m_{\Lambda_b} \left((1 - \sqrt{r}) \text{Re}[(D_1 + E_1)^* H_2] - (1 + \sqrt{r}) \text{Re}[(D_1 - E_1)^* F_2] \right) \\
& + 16m_\ell m_{\Lambda_b} \left((3 + \sqrt{r}) \text{Re}[(A_1 - B_1)^* C_T f_T] + 2(3 - \sqrt{r}) \text{Re}[(A_1 + B_1)^* C_{TE} f_T] \right) \\
& - 16m_\ell m_{\Lambda_b}^2 (1 - r + 2s) \text{Re}[(A_1 - B_1)^* C_T f_T^V] \\
& - 16m_\ell m_{\Lambda_b}^2 \left\{ m_{\Lambda_b} (1 - \sqrt{r}) [(1 + \sqrt{r})^2 - s] \text{Re}[(A_1 - B_1)^* C_T f_T^S] \right. \\
& - (2 - 2r + s) \left(\text{Re}[A_2^* (C_T - 2C_{TE}) f_T] - \text{Re}[B_2^* (C_T + 2C_{TE}) f_T] \right) \Big\} \\
& - 2m_\ell m_{\Lambda_b}^2 s \left\{ \text{Re}[(D_3 - E_3)^* F_2 + (D_3 + E_3)^* H_2] + 2m_\ell (|D_3|^2 - |E_3|^2) \right\} \\
& - 16m_\ell m_{\Lambda_b}^3 s \left\{ (3 - \sqrt{r}) \text{Re}[(A_2 - B_2)^* C_T f_T^V] \right. \\
& + m_{\Lambda_b} [(1 + \sqrt{r})^2 - s] \text{Re}[(A_2 - B_2)^* C_T f_T^S] \Big\} \\
& - 4m_{\Lambda_b} (2m_\ell^2 + m_{\Lambda_b}^2 s) \text{Re}[A_1^* B_2 - A_2^* B_1] \\
& - m_{\Lambda_b}^2 s \left(v^2 \text{Re}[F_1^* H_1] + \text{Re}[F_2^* H_2] \right) \\
& - \frac{4}{3} m_{\Lambda_b}^3 s v^2 \left(3 \text{Re}[D_1^* E_2 - D_2^* E_1] + \sqrt{r} \text{Re}[D_1^* D_2 - E_1^* E_2] \right) \\
& - \frac{4}{3} m_{\Lambda_b} \sqrt{r} (6m_\ell^2 + m_{\Lambda_b}^2 s v^2) \text{Re}[A_1^* A_2 - B_1^* B_2] \\
& + \frac{1}{3} \left\{ 3[4m_\ell^2 + m_{\Lambda_b}^2 (1 - r + s)] (|A_1|^2 - |B_1|^2) - 3[4m_\ell^2 - m_{\Lambda_b}^2 (1 - r + s)] \right. \\
& \times (|D_1|^2 - |E_1|^2) - m_{\Lambda_b}^2 (1 - r - s) v^2 (|A_1|^2 - |B_1|^2 + |D_1|^2 - |E_1|^2) \Big\} \\
& - \frac{1}{3} m_{\Lambda_b}^2 \{ 12m_\ell^2 (1 - r) + m_{\Lambda_b}^2 s [3(1 - r + s) + v^2 (1 - r - s)] \} (|A_2|^2 - |B_2|^2) \\
& - \frac{2}{3} m_{\Lambda_b}^4 s (2 - 2r + s) v^2 (|D_2|^2 - |E_2|^2) \\
& - \frac{128}{3} m_{\Lambda_b}^2 [(1 + \sqrt{r})^2 - s] \left(12m_\ell^2 \text{Re}[(C_T f_T^S)^* C_{TE} f_T] \right. \\
& + 2m_{\Lambda_b}^2 s v^2 \text{Re}[C_T^* C_{TE}] \text{Re}[f_T^* f_T^S] \Big) \\
& - \frac{128}{3} m_{\Lambda_b} \left\{ 24m_\ell^2 \text{Re}[(C_T f_T^V)^* C_{TE} f_T] - 12m_\ell^2 (1 - \sqrt{r}) \text{Re}[(C_T f_T)^* C_{TE} f_T^V] \right. \\
& + 2m_{\Lambda_b}^2 s [3 - \sqrt{r} (3 - 2v^2)] \text{Re}[C_T^* C_{TE}] \text{Re}[f_T^* f_T^V] \Big\} \\
& + \frac{256}{3} \left\{ 6m_\ell^2 + m_{\Lambda_b}^2 [3 - 3r - (1 - r - s) v^2] \right\} \text{Re}[C_T^* C_{TE}] |f_T|^2 \Big\} ,
\end{aligned}$$

$$\begin{aligned}
P_N = & \frac{8\pi m_{\Lambda_b}^3 v \sqrt{s}}{\mathcal{T}_0(s) + \frac{1}{3}\mathcal{T}_2(s)} \left\{ -8m_\ell m_{\Lambda_b}^2 \lambda \operatorname{Re}[(C_T f_T^S)^*(D_1 + E_1)] \right. \\
& + 8m_\ell m_{\Lambda_b}^3 \lambda (1 + \sqrt{r}) \operatorname{Re}[(C_T f_T^S)^*(D_2 + E_2)] \\
& - 2m_{\Lambda_b} (1 - r + s) \sqrt{r} \operatorname{Re}[A_1^* D_1 + B_1^* E_1] \\
& + m_\ell [(1 - \sqrt{r})^2 - s] \operatorname{Re}[(A_1 + B_1)^* H_1] \\
& + m_{\Lambda_b} (1 + \sqrt{r}) [(1 - \sqrt{r})^2 - s] \left(4\operatorname{Re}[(C_T f_T)^* H_1] - 8\operatorname{Re}[(C_{TE} f_T)^* H_2] \right. \\
& \left. - m_\ell \operatorname{Re}[(A_2 + B_2)^* H_1] \right) \\
& + m_{\Lambda_b} (1 - \sqrt{r}) [(1 + \sqrt{r})^2 - s] \left(8\operatorname{Re}[(C_{TE} f_T)^* F_1] - 4\operatorname{Re}[(C_T f_T)^* F_2] \right. \\
& \left. + m_\ell \operatorname{Re}[(A_2 - B_2)^* F_1] \right) \\
& + m_\ell [(1 + \sqrt{r})^2 - s] \operatorname{Re}[A_1^* F_1] \\
& + 4m_{\Lambda_b}^2 s \sqrt{r} \operatorname{Re}[A_1^* E_2 + A_2^* E_1 + B_1^* D_2 + B_2^* D_1] \\
& - 2m_{\Lambda_b}^3 s \sqrt{r} (1 - r + s) \operatorname{Re}[A_2^* D_2 + B_2^* E_2^*] \\
& - 16m_\ell m_{\Lambda_b} (1 + \sqrt{r}) [(1 - \sqrt{r})^2 - s] \operatorname{Re}[D_1^* (C_T + C_{TE}) f_T^V + E_1^* (C_T - C_{TE}) f_T^V] \\
& - 4m_{\Lambda_b}^2 [(1 - \sqrt{r})^2 - s] s \left(\operatorname{Re}[(C_T f_T^V)^* H_1] - 2\operatorname{Re}[(C_{TE} f_T^V)^* H_2] \right) \\
& + 16m_\ell m_{\Lambda_b}^2 [(1 - \sqrt{r})^2 - s] s \operatorname{Re}[(C_{TE} f_T^V)^* (D_3 - E_3)] \\
& + 2m_{\Lambda_b} (1 - r - s) \left(\operatorname{Re}[A_1^* E_1 + B_1^* D_1] + m_{\Lambda_b}^2 s \operatorname{Re}[A_2^* E_2 + B_2^* D_2] \right) \\
& - m_{\Lambda_b}^2 [(1 - r)^2 - s^2] \operatorname{Re}[A_1^* D_2 + A_2^* D_1 + B_1^* E_2 + B_2^* E_1] \\
& + 8m_\ell m_{\Lambda_b}^2 [(1 - r)^2 - 4\sqrt{r}s - s^2] \operatorname{Re}[(C_T f_T^V)^* (D_2 + E_2)] \\
& + 8m_\ell \left\{ (1 - 6\sqrt{r} + r - s) \operatorname{Re}[(C_T f_T)^* E_1] + 2(1 + 6\sqrt{r} + r - s) \operatorname{Re}[(C_{TE} f_T)^* E_1] \right. \\
& - 4m_{\Lambda_b} (1 - \sqrt{r}) [(1 + \sqrt{r})^2 - s] \operatorname{Re}[(C_{TE} f_T)^* D_2] \\
& - 2m_{\Lambda_b} (1 + \sqrt{r}) [(1 - \sqrt{r})^2 - s] \operatorname{Re}[(C_T f_T)^* D_2] \left. \right\} \\
& - m_\ell [(1 + \sqrt{r})^2 - s] \operatorname{Re}[B_1^* F_1] \\
& - 8m_\ell m_{\Lambda_b} \left\{ (1 - \sqrt{r}) [(1 + \sqrt{r})^2 - s] \operatorname{Re}[(C_T f_T)^* E_3] \right. \\
& \left. - 2(1 + \sqrt{r}) [(1 - \sqrt{r})^2 - s] \operatorname{Re}[(C_{TE} f_T)^* E_3] \right\} \\
& + 16m_\ell m_{\Lambda_b} \left\{ 2(1 - \sqrt{r}) [(1 + \sqrt{r})^2 - s] \operatorname{Re}[(C_{TE} f_T)^* E_2] \right. \\
& \left. - (1 + \sqrt{r}) [(1 - \sqrt{r})^2 - s] \operatorname{Re}[(C_T f_T)^* E_2] \right\} \\
& - 8m_\ell \left\{ 2(1 + 6\sqrt{r} + r - s) \operatorname{Re}[(C_{TE} f_T)^* D_1] - (1 - 6\sqrt{r} + r - s) \operatorname{Re}[(C_T f_T)^* D_1] \right\} \\
& - 8m_\ell m_{\Lambda_b} \left\{ 2(1 + \sqrt{r}) [(1 - \sqrt{r})^2 - s] \operatorname{Re}[(C_{TE} f_T)^* D_3] \right. \\
& \left. + (1 - \sqrt{r}) [(1 + \sqrt{r})^2 - s] \operatorname{Re}[(C_T f_T)^* D_3] \right\} \left. \right\}.
\end{aligned}$$